NGOC ANH DOOR

CỬA ĐẸP - NHÀ SANG

## NGOC ANH ALUMINUM & GLASS CONSTRUCTION TRADING JOINT STOCK COMPANY


129A Pham Van Bach Street, Tan Son Ward, Ho Chi Minh City

46A Luc Vien Rd, Duc Hanh 2 Hamlet, Duc Lap Commune, Tay Ninh Province

0902 41 9293 - 0986 36 9293

ceo.ngocanhdoor@gmail.com

www.nhomkinhngocanh.com






NGOC ANH DOOR

CỬA ĐẸP - NHÀ SANG

CATALOGUE

# KITCHEN & CABINET






# CONTENTS


**01 PRODUCT INFORMATION INTRODUCTION ..... 06 - 19**

**02 KITCHEN CABINET GLASS DOORS ..... 20 - 41**

- Frameless Glass Frame – CNC Handle ..... 22
- Frameless Glass Frame – Recessed C Handle ..... 26
- 5mm Edge-Wrapped Door System – CNC Handle ..... 30
- 5mm Edge-Wrapped Door System – Recessed C Handle ..... 34
- 5mm Edge-Wrapped Door System – CNC Handle with Wrapped Edges ..... 38

**03 DECORATIVE INTERIOR GLASS DOORS ..... 42 - 69**

- Edge-Wrapped Glass Door System – CNC Handle ..... 42
- Edge-Wrapped Glass Door System – C Handle ..... 46
- Edge-Wrapped Glass Door System with Concealed Hinges – C Handle ..... 50
- Frameless Glass Door System – C Handle ..... 54
- Edge-Wrapped Glass Door System – C Handle ..... 58
- Edge-Wrapped Glass Door System with Concealed Hinges – CNC Handle ..... 62
- Versatile 5mm Glass-Wrapping System – Surface-Mounted Handle ..... 66

**04 DECORATIVE SHELVING SOLUTIONS ..... 70 - 101**

- Room Divider Shelving ..... 70
- NA200 System ..... 74
- Four-Sided Glass Cabinet – NA300 System ..... 78
- Four-Sided Glass Wine Cabinet Accessories ..... 82
- Four-Sided Glass Wardrobe Accessories ..... 86
- Jewelry Island Cabinet ..... 94
- Decorative Display Cabinet ..... 98

**05 READING ROOM SOLUTIONS ..... 102 - 103**

- NA400 System ..... 102

**06 WALK-IN CLOSET SOLUTIONS ..... 104 - 105**

- NA400 System ..... 104

**07 BAR COUNTER SOLUTIONS ..... 106 - 109**

- NA500 System ..... 106

**08 CONCLUDING REMARKS ..... 110 - 111**

NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# KEY FEATURES

## I. PRODUCT SPECIFICATION

- **JIS H4100 Standard:** **JAPANESE STANDARD**, extruded aluminum and aluminum alloys **(CASTING and EXTRUSION).**
- **JIS H8602 Standard:** **(SURFACE TREATMENT - Anodize ED)** Combination of Anodic Oxide, organic coating on group and aluminum alloy.
- **QUALANOD Certificate:** **(SURFACE TREATMENT - Anodize ED)** According to the method of sulfuric acid in the field of architecture.

## LIXIL GLOBAL MANUFACTURING CO., LTD

(Capacity 100% JAPAN)








## II. ANODIZING DEPOSITION (ED) ELECTRONIC TECHNOLOGY

**ANODIZE ED** technology (Electrolytic coating treatment for surface coating) is the most modern vertical paint treatment line designed and installed according to **the highest technology in Japan.**

Product quality follows **JIS H8602 (Japanese Industrial Standard)** to ensure that we will provide the best products to our customers and is guaranteed by paint supplier **"TOA SHINTO"** for performance paint surface durability up to 25 years for **ANODIZE ED** coating.

### STANDARD JIS H4100 - JIS H8602

(JAPAN industry standard)

- Extruded aluminum and surface treatment ANODIZE ED
- Extrusion and Anodize + Organic Coating

### QUALANOD CERTIFICATE

- Supplied by Switzerland for ANODIZE surface treatment

### WARNING TEST REPORT BY ROHS

- Undefine heavy metal composition
- For products circulating in EUROPE - EU

### WARNING TEST REPORT BY REACH DIRECTIVE

- Restriction of harmful chemicals
- For products circulating in EUROPE - EU

NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# PRODUCTION PROCESS

**Ngoc Anh Door** specializes in the manufacturing and installation of premium aluminum products for interior applications, kitchen cabinets, and aluminum doors for construction projects. Aluminum raw materials are sourced from manufacturers that meet international quality standards. Upon arrival, the materials are received, inspected, and processed according to the specifications, dimensions, designs, and technical requirements of each order.

We are committed to delivering high-precision aluminum profiles with consistent quality, meeting the diverse manufacturing and processing needs of our customers.

**CASTING**

Melt aluminum ingot on melting furnace and make 6,5m cylindrical billets.

**EXTRUSION**

Cut of the Billet to required length and extrude it to 50-60m. Each production line equips twin pullers for superior efficiency.







Melt at 1200°C



Rapidly cool down while pouring into mandrel



Hoist the 6.5m Billet



Cut off the waste ends to 6.3m



Mold making



Cut to the required length



Achieve high dimension accuracy



Tempering in aging furance

# ELECTRODEPOSITION COATING PROCESS

## I. ANODIZING TECHNOLOGY

The process of forming an oxide film on the surface of aluminum rods through electrochemical dipping. Helps strengthen the natural oxide protective layer.

## II. ELECTRONIC COLOR

- Through electrochemical dipping process. Helps strengthen the natural oxide protective layer.
- Negative/positive (polar) ions adhere to the aluminum bar to create color. With vertical transfer technology, it helps to stick the color into each structure of the aluminum profile.

## III. ELECTRICAL SURFACE COVERING

The coating process of Resin compound precipitate on aluminum surface according to the principle of electrophoresis in an electric bath. After this process, the material is calcined to form a paint film. A wide range of primary colors and finishes can be achieved including glossy or matte, white to black.




*Sulfate*




*Coloring*




*Electro Deposition*







# THE PROCESSING OF ELECTROLYTIC-PLATED SURFACE

With a pioneering position in driving global technological innovation, our aluminum extrusion surface treatment process utilizes the exclusive TEXGUARD technology.

**The electrolytic step is based on the film layer, The enhanced protection layer bringing key advantages:**

- Environmental friendliness.
- Provides outstanding weather resistance.
- Minimal fading.
- Low maintenance, easy to clean, stain resistant.







## FEATURE 1

**ABSOLUTELY ANTI-FADE**

Test results show that the exclusive TEXGUARD coating provides twice the level of fade resistance Compared to conventional topcoats, a high degree of natural shine and enhanced surface life is achieved significantly longer time.

## FEATURE 2

**ENHANCED SCRATCH RESISTANCE**

Bonds between the molecules of the coating material are improved results in a tougher, more resistant layer.




*TEXGUARD Molecular Structure Image*

## FEATURE 3

**STICK RESISTANCE - EASY TO CLEAN**

A unique surface texture is achieved through the use of TEXGUARD thanks to more cross-linked molecules. Gives almost "SELF CLEAN" surface results and requires less maintenance.




# JAPANESE INDUSTRIAL STANDARDS

Standard JIS H4100 - JIS H8602

- **CHEMICAL COMPOSITION, PHYSICAL HARDNESS, AND EXTRUSION PROCESS JIS H4100.**
- **SURFACE TREATMENT JIS H8602.**

## Ngoc Anh Door aluminum achieves Class A1 in JIS H8602

Standard for surface Anodize coating: The highest class in the standard and for use in extremely harsh environments.

## Standard JIS H4100 - JIS H8602 (Japan Industry standard)

- Extruded aluminium and Surface treatment Anodize Ed.
- Extrusion and Anodize + Organic Coating.











# CO CERTIFICATE OF ORIGIN

The Certificate of Origin (C/O) for **Anodized ED** interior aluminum applies to goods imported under Type **A11 (Import for Domestic Consumption)**—a Certificate of Origin issued under the AANZFTA **(ASEAN–Australia–New Zealand Free Trade Area)** agreement.

The Form **AANZ** Certificate of Origin **(AANZ C/O)** is a preferential C/O issued for goods originating from ASEAN member states, Australia, and New Zealand, circulating under the ASEAN–Australia–New Zealand Free Trade Agreement.

TRIPLICATE

| | |
|---|---|
| **1. Goods Consigned from (Exporter's name, address and country)**<br>**LIXIL GLOBAL MANUFACTURING VIETNAM COMPANY LIMITED**<br>D1 STREET, LONG DUC INDUSTRIAL PARK, LONG DUC WARD<br>LONG THANH DISTRICT, DONG NAI PROVINCE, VIETNAM<br>TEL: 84-251-3-681-111 FAX: 84-251-3-681-121 | Certificate No. VN-VN 23/04/ 0 0 3 5 5 3 **Form AANZ**<br>**AGREEMENT ESTABLISHING THE ASEAN – AUSTRALIA – NEW ZEALAND FREE TRADE AREA (AANZFTA)**<br>**CERTIFICATE OF ORIGIN**<br>(Combined Declaration and Certificate)<br>Issued in VIET NAM<br>(Country)<br>(see Overleaf Notes) |
| **2. Goods Consigned to (Importer's/ Consignee's name, address, country)**<br>**PHU HOAN ANH GROUP JOINT STOCK COMPANY**<br>NO 207/8A, XUAN THOI SON 31 STREET, HAMLET 3, XUAN THOI SON COMMUNE, HOC MON DISTRICT, HO CHI MINH CITY. | |
| **3. Means of transport and route (if known)**<br>**Shipment Date:** 10-May-2023<br>Goods To Be Shipped By Truck<br>From Long Duc - Dong Nai to Ho Chi Minh<br>**Vessel's name/Aircraft etc.:**<br>By Truck<br>**Port of Discharge:**<br>Ho Chi Minh, Viet Nam | **4. For Official Use**<br>☐ **Preferential Treatment Given Under AANZFTA**<br>☐ **Preferential Treatment Not Given (Please state reasonis)**<br>Signature of Authorised Signatory of the Importing Country |

| 5. Item number | 6. Marks and numbers on packages | 7. Number and kind of packages; description of goods including HS Code (6 digits) and brand name (if applicable). Name of company issuing third party invoice (if applicable) | 8. Origin Conferring Criterion (see Overleaf Notes) | 9. Quantity (Gross weight or other measurement), and value (FOB) where RVC is applied (see Overleaf Notes) | 10. Invoice number(s) and date of invoice(s) |
|---|---|---|---|---|---|
| 1 | LIXIL | **ALUMINUM EXTRUSION BAR**<br>ALUMINUM EXTRUSION BAR (HOLLOW) - HS CODE: 76042190<br>( N.W : 7092.12 KGS = 2818 PCS )<br>**TOTAL: 14 PALLET = 2818 PCS** | "CTC" | 2818 PCS<br>**G.W: 8275.12 KGM** | MG230502<br>03/05/2023<br>VAT No:01000829<br>03/05/2023 |

| | |
|---|---|
| **11. Declaration by the exporter**<br>The undersigned hereby declares that the above details and statements are correct; that all the goods were produced in<br>VIET NAM<br>(country)<br>and that they comply with the rules of origin, as provided in Chapter 3 of the Agreement Establishing the ASEAN - Australia - New Zealand Free Trade Area for the goods exported to<br>VIỆT NAM<br>HỒ THỊ THIÊN THANH<br>DONG NAI PROVINCE 10 May 2023<br>Place and date, signature of authorised signatory company of authorised signatory | **12. Certification**<br>On the basis of control carried out, it is hereby certified that the information herein is correct and that the goods described comply with the origin requirements specified in the Agreement Establishing the ASEAN – Australia - New Zealand Free Trade Area.<br>PHÒNG QUẢN LÝ XUẤT NHẬP KHẨU KHU VỰC ĐỒNG NAI<br>*Võ Thị Loan*<br>DONG NAI PROVINCE 10 MAY 2023<br>Place and date, signature and stamp of Authorised Issuing Authority/Body |

13. ☐ Back-to-back Certificate of Origin ☐ Subject of third-party invoice ☐ Issued retroactively
☐ *De Minimis* ☐ Accumulation

# CERTIFICATE OF QUALITY

**QUALANOD CERTIFICATION** Issued by Switzerland for **ANODIZE** surface treatment using the Sulfuric Acid Process in the architectural and interior design industry.

**ROHS DIRECTIVE TEST REPORT**

- Restriction of heavy metals and hazardous substances in electrical and electronic equipment.
- For products circulating in EUROPE (EU).

**REACH DIRECTIVE TEST REPORT**

- Restriction of harmful substances for products circulating in EUROPE (EU).

## Authorization
### to use the quality sign

QUALITY LABEL — INTERNATIONAL — Qualanod — FOR ANODISING — ARCHITECTURE

This is to certify that

**LIXIL Global Manufacturing Vietnam Co., Ltd.**

D1 Street, Long Duc Industrial Park
Long Duc Ward, Long Thanh District
VN – 76000 Dong Nai Province

**Licence number: 7000**

is authorized to use the quality sign which is shown above, according to the regulations for the use of the quality label for ARCHITECTURAL ANODIZING as described in the current edition of the Specifications for the QUALANOD quality label for sulfuric acid-based anodizing of aluminium (Edition 01.01.2020). Architectural anodizing is one of the four types of anodizing covered by the Specifications.

**Date of issue of the licence:** **30.08.2016**
**Period of validity of the licence:** **until 31.12.2020**

Zurich, 19 November 2019

**QUALANOD**

Remco Baartmans
President

**CERTIFICATION BODY**

Matthias Lanz
General Secretary

Website: www.qualanod.net
E-Mail: info@qualanod.net // Phone: +41 (0)43 305 09 77 / 81

Mailing address:
QUALANOD, P.O. Box 1507, CH-8027 Zurich

Domicile:
QUALANOD
c/o ARCO Association Management AG
(certification body)
Tödistrasse 42, CH-8002 Zurich

*Products*

TÜVRheinland®
Precisely Right.

***Report No.:*** **248106453-05** Page 1 of 5

***Client:*** **LIXIL GLOBAL MANUFACTURING VIETNAM CO., LTD**
D1 Road, Long Duc Industrial Park, Long Duc Ward, Long Thanh District, Dong Nai

***Test Item(s):*** Metal part

***Identification/ Model No(s):*** 6063; Model: 6063 - Black ED Non Gloss
Material: Alumium 6063; Color: Black ED Non Gloss

***Sample receiving date:*** 2019-09-09

***Test period:*** 2019-09-11 to 2019-09-16

| ***Test Specification:*** | ***Test result:*** |
|---|---|
| Legal requirement: | |
| Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment, 2011/65/EU and its amendments | |
| 1. Cadmium, Lead, Chromium (VI), Mercury, Polybrominated biphenyls (PBB) and Polybrominated diphenyl ethers (PBDE) | PASS |
| 2. Phthalates ( DEHP, DBP, BBP, DiBP) | PASS |

**For and on behalf of**
**TÜV Rheinland Vietnam Co., Ltd.**

Ms. Dao Thuy Khanh Linh/
2019-09-17 Project Manager
Date Name/Position

*Test result is drawn according to the kind and extent of tests performed.*
*This test report relates to the a. m. test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any safety mark on this or similar products.*

**TÜV Rheinland Vietnam Co., Ltd.** · Laboratory · 1st Floor · Block No.10 · Street 4 · Quang Trung Software City · District 12 · Ho Chi Minh City
Tel.: + 84 8 3715 4025 · Fax: + 84 8 3715 4028 · E-mail: laboratory@vn.tuv.com · Web: www. tuv.com/vn
*MS-0009600_en-Appendix 2*

*Products*

TÜVRheinland®
Precisely Right.

***Report No.:*** **248106453-09** Page 1 of 9

***Client:*** LIXIL GLOBAL MANUFACTURING VIETNAM CO., LTD.

***Contact Information:*** D1 Road, Long Duc Industrial Park, Long Duc Ward, Long Thanh District, Dong Nai

***Test item(s):*** Metal part

***Identification/ Model No(s):*** 6063; Model: 6063 - ED Gloss
Material: ALUMIUM 6063; Color: ED Gloss

***Sample Receiving date:*** 2019-09-09

***Testing Period:*** 2019-09-11 to 2019-09-16

| ***Test Specification:*** | ***Test result:*** |
|---|---|
| Customer's requirement: | |
| 1. Screening of substances of very high concern (SVHC) subject to authorisation, according to (EU) No 143/2011, (EU) No 125/2012, (EU) No 348/2013, (EU) No 895/2014 and (EU) No. 2017/999 (Annex XIV of EC No 1907/2006) and candidate list by European Chemical Agency (ECHA), according to the EU Court of Justice rules on SVHCs in articles (Guidance on requirements for substances in articles, June 2017). | The tested material does not contain any SVHCs over 0.1 % by weight |

**For and on behalf of**
**TÜV Rheinland Vietnam Co., Ltd.**

2019-09-17 Hoa Thi Xuan Dieu / Project Manager
*Date* *Name/Position*

*Test result is drawn according to the kind and extent of tests performed.*
*This test report relates to the a. m. test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any safety mark on this or similar products.*

TÜV Rheinland Vietnam Co., Ltd. Laboratory:1st Floor,Block No.10,Street No.4,Quang Trung Software City District 12 Ho Chi Minh City
Tel.: + 84 28 3715 4025 · Fax: + 84 28 3715 4028 · E-mail: info@vn.tuv.com · Web: www.tuv.com/vn









JAPAN'S LEADING ANODIZE ED INTERIOR ALUMINUM

NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# WARRANTY POLICY

## LUXURY - SUSTAINABILITY - SAFE

25 YEARS WARRANTY

## COLOR FASTNESS OVER 40 YEARS

**WARRANTY PERIOD: "25 YEARS WARRANTY"**

## WARRANTY CASE:

- Products are warranted for cases of cracking, deformation, peeling, surface discoloration under normal conditions.
- Aallowable contact temperature from -30°C to + 60°C.
- Avoid physical effects and exposure of special chemicals.

NGOC ANH DOOR

CỬA ĐẸP - NHÀ SANG

# KITCHEN CABINET GLASS DOORS

Frameless Glass Frame - CNC Handle





**Available in 4 Elegant Colors**

White Pearl | Matt Black | Champagne | Autumn Brown






**NA-030**

Frameless aluminum frame system.
5mm glass with polished edges.

**NA-031**

Frameless CNC machined handle system.
5mm glass with polished edges





**JAPAN'S LEADING ANODIZE ED INTERIOR ALUMINUM**





**Rear Side View**




## Connecting Hardware

| | | |
|---|---|---|
|  |  |  NA18 |
| Plastic Corner Connector | Standard Hinge | Kitchen Cabinet Hardware Connecting Bar |

- **53mm** wide frame system for easy hardware installation.
- **5mm** thick painted glass or glass with a safety film applied to the back.
- Suitable for both drawer fronts and hinged doors.
- Compatible with the **NA18** system for hardware integration.

NGOC ANH DOOR

CỬA ĐẸP - NHÀ SANG



NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# KITCHEN CABINET GLASS DOORS

Frameless Glass Frame - Recessed C Handle



**Available in 4 Elegant Colors**

White Pearl | Matt Black | Champagne | Autumn Brown






**NA-030**

Frameless aluminum frame system.
5mm glass with polished edges.




**NA-045**

Frameless C-channel recessed handle system
5mm glass with polished edges.





**Rear Side View**



**NA18**

## Connecting Hardware

| | | |
|---|---|---|
|  |  |  **NA18** |
| Plastic Corner Connector | Standard Hinge | Kitchen Cabinet Hardware Connecting Bar |

- **53mm** wide frame system for easy hardware installation.
- **5mm** thick painted glass or glass with a safety film applied to the back.
- Suitable for both drawer fronts and hinged doors.
- Compatible with the **NA18** system for hardware integration.

NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# KITCHEN CABINET GLASS DOORS

5mm Edge-Wrapped Door System - CNC Handle





**Available in 4 Elegant Colors**

White Pearl | Matt Black | Champagne | Autumn Brown






**NA-048**

Rounded-edge aluminum frame system.
5mm glass holding.




**NA-049**

Rounded-edge CNC-machined handle system.
5mm glass holding.



NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

**JAPAN'S LEADING ANODIZE ED INTERIOR ALUMINUM**





**Rear Side View**




## Connecting Hardware

| | | |
|---|---|---|
|  |  |  NA18 |
| Plastic Corner Connector | Standard Hinge | Kitchen Cabinet Hardware Connecting Bar |

- **53mm** wide frame system for easy hardware installation.
- **5mm** thick painted glass or glass with a safety film applied to the back.
- Suitable for both drawer fronts and hinged doors.
- Compatible with the **NA18** system for hardware integration.

NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# KITCHEN CABINET GLASS DOORS

5mm Edge-Wrapped Door System - Recessed C Handle



**Available in 4 Elegant Colors**

White Pearl | Matt Black | Champagne | Autumn Brown






**NA-048**

Rounded-edge aluminum frame system.
5mm glass holding.




**NA-050**

Rounded-Edge C-Channel Recessed Handle System.
5mm glass holding.









**Rear Side View**




## Connecting Hardware

| | | |
|---|---|---|
|  |  |  NA18 |
| Plastic Corner Connector | Standard Hinge | Kitchen Cabinet Hardware Connecting Bar |

- **53mm** wide frame system for easy hardware installation.
- **5mm** thick painted glass or glass with a safety film applied to the back.
- Suitable for both drawer fronts and hinged doors.
- Compatible with the **NA18** system for hardware integration.

NGOC ANH DOOR

CỬA ĐẸP - NHÀ SANG

# KITCHEN CABINET GLASS DOORS

NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

5mm Edge-Wrapped Door System - CNC Handle with Wrapped Edges



**Available in 4 Elegant Colors**

White Pearl | Matt Black | Champagne | Autumn Brown






**NA-048**

Rounded-edge aluminum frame system.
5mm glass holding.




**NA-049**

Rounded-edge CNC-machined handle system.
5mm glass holding.



**JAPAN'S LEADING ANODIZE ED INTERIOR ALUMINUM**





**Rear Side View**




## Connecting Hardware

| | | |
|---|---|---|
|  |  |  NA18 |
| Plastic Corner Connector | Standard Hinge | Kitchen Cabinet Hardware Connecting Bar |

- **53mm** wide frame system for easy hardware installation.
- **5mm** thick painted glass or glass with a safety film applied to the back.
- Suitable for both drawer fronts and hinged doors.
- Compatible with the **NA18** system for hardware integration.

NGOC ANH DOOR

CỬA ĐẸP - NHÀ SANG



NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# DECORATIVE INTERIOR GLASS DOORS

Edge-Wrapped Glass Door System - CNC Handle








**NA-032**

Decorative rounded-edge aluminum frame.
5mm glass holding.




**NA-033**

Rounded-edge CNC C-channel handle system
• 250/500mm Extension handle
• 300/2500mm Full-length continuous profile handle





**Rear Side View**

## Connecting Hardware

| | | |
|---|---|---|
|  |  |  |
| Steel corner bracket | Specialized hinge for 20mm aluminum profiles | Connecting screws |



NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# SAMPLE PRODUCT



NA-033
1300/2500mm Handle

## AVAILABLE IN 4 ELEGANT COLORS

- White Pearl
- Matt Black
- Champagne
- Autumn Brown

## APPLICATIONS

**Door System For Decorative Cabinets:**

- Wine cabinets
- Decorative display cabinets
- Wardrobes

Designed for use with specialized hinges. Hinge holes are precisely machined using high-end CNC machines.

## NOTE

For cabinet doors over **2m** in height, the use of continuous bar handles in **1300/2500mm** lengths is recommended.



NA-033
250/500mm Handle

NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# DECORATIVE INTERIOR GLASS DOORS

Edge-Wrapped Glass Door System - C Handle








**NA-032**

Decorative rounded-edge aluminum frame.
5mm glass holding.




**NA-044**

5mm Rounded C-Channel Handle System
• 250mm extension handle
• Full-length continuous profile handle



**Rear Side View**

## Connecting Hardware

| | | |
|---|---|---|
|  |  |  |
| Steel corner bracket | Specialized hinge for 20mm aluminum profiles | Connecting screws |

NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# SAMPLE PRODUCT

## AVAILABLE IN 4 ELEGANT COLORS

- White Pearl
- Matt Black
- Champagne
- Autumn Brown

## APPLICATIONS

**Door System For Decorative Cabinets:**

- Wine cabinets
- Decorative display cabinets
- Wardrobes

Designed for use with specialized hinges.
Hinge holes are precisely machined using high-end CNC machines.

## NOTE

For **NA-044** continuous profile handles, vertical installation is recommended.



250mm **Connector handle**



**Continuous bar handle**

NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# DECORATIVE INTERIOR GLASS DOORS

Edge-Wrapped Glass Door System with Concealed Hinges - C Handle








**NA-032**

Decorative rounded-edge aluminum frame.
5mm glass holding.




**NA-033**

5mm CNC Rounded-Edge Handle System
• Length: 1300/3100mm.





Uses a 3D adjustable concealed hinge system



Aluminum frame connection between cabinet carcass and door



Glass door connection

## Connecting Hardware

| | | | |
|---|---|---|---|
|  **NA306** |  |  |  |
| Aluminum profile system for hinge mounting | Top and bottom hinges | Steel corner bracket | Connecting screws |

# SAMPLE PRODUCT



## AVAILABLE IN 4 ELEGANT COLORS

- White Pearl
- Matt Black
- Champagne
- Autumn Brown

## APPLICATIONS

**Door System For Decorative Cabinets:**

- Wine cabinets
- Decorative display cabinets
- Wardrobes

Equipped with premium 3-way adjustable concealed hinges.
Hinge holes are precisely machined using advanced CNC machines..

## NOTE

For cabinet doors exceeding **2m** in height, it is recommended to use **1300/3100mm** full-length continuous profile handles.
Door frame system used for 4-sided cabinet units

**NA-033**

1300/3100mm Handle

NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# DECORATIVE INTERIOR GLASS DOORS

Frameless Glass Door System - C Handle








**NA-032**

Decorative rounded-edge aluminum frame.
5mm glass holding.




**NA-046**

Frameless glass edge C-channel handle system is available in 2 options
- 250mm extension handle
- 250/2700mm full-length continuous profile handle





**Front side of glass door**



**Back side of glass door**

## Connecting Hardware



Aluminum corner bracket



Specialized hinge for 20mm aluminum profiles



NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# SAMPLE PRODUCT



## AVAILABLE IN 4 ELEGANT COLORS

- White Pearl
- Matt Black
- Champagne
- Autumn Brown

## APPLICATIONS

**Door System For Decorative Cabinets:**

- Wine cabinets
- Decorative display cabinets
- Wardrobes

Designed for use with specialized hinges. Hinge holes are precisely machined using high-end CNC machines.

## NOTE

For **NA-051** and **NA-052** glass systems, a **20mm** painted border is required on the glass panel.



NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# DECORATIVE INTERIOR GLASS DOORS

Edge-Wrapped Glass Door System - C Handle








## NA-032

Decorative rounded-edge aluminum frame.
5mm glass holding.




## NA-047

5mm rounded-edge C-channel handle system is available in 2 options
• 250/600mm extension handle
• 250/2700mm full-length continuous profile handle



## Connecting Hardware

| | |
|---|---|
|  |  |
| Aluminum corner bracket | Specialized hinge for 20mm aluminum profiles |



NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# SAMPLE PRODUCT



## AVAILABLE IN 4 ELEGANT COLORS

- White Pearl
- Matt Black
- Champagne
- Autumn Brown

## APPLICATIONS

**Door System For Decorative Cabinets:**

- Wine cabinets
- Decorative display cabinets
- Wardrobes

Designed for use with specialized hinges. Hinge holes are precisely machined using high-end CNC machines.



250/600mm **Handle**



**Continuous bar handle**

NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# DECORATIVE INTERIOR GLASS DOORS

Edge-Wrapped Glass Door System with Concealed Hinges – CNC Handle








**NA-032**

Decorative rounded-edge aluminum frame.
5mm glass holding.




**NA-033**

CNC machined handle system
5mm glass holding.



**Back side of door**

## Connecting Hardware

| | | |
|---|---|---|
|  |  |  |
| Steel corner bracket | Specialized hinge for 20mm aluminum profiles | Connecting screws |



NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# SAMPLE PRODUCT

## AVAILABLE IN 4 ELEGANT COLORS

- White Pearl
- Matt Black
- Champagne
- Autumn Brown



## APPLICATIONS

**Door System For Decorative Cabinets:**

- Wine cabinets
- Decorative display cabinets
- Wardrobes

Designed for use with specialized hinges.
Hinge holes are precisely machined using high-end CNC machines.

**NA-033**

250/500mm Handle

NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# DECORATIVE INTERIOR GLASS DOORS

Versatile 5mm Glass-Wrapping System - Surface-Mounted Handle





**NA-32**
278mm Long handle



**NA-33**
1000mm Long handle






**NA-08**
Versatile rounded-edge aluminum profile frame.
5mm glass holding.



## Connecting Hardware

| | |
|---|---|
|  |  |
| Plastic Corner Connector | Standard Hinge |



NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# SAMPLE PRODUCT

## AVAILABLE IN 4 ELEGANT COLORS

- White Pearl
- Matt Black
- Champagne
- Autumn Brown

## APPLICATIONS

**Door System For Decorative Cabinets:**

- Wine cabinets
- Decorative display cabinets
- Wardrobes

The frame system can be paired with various external handles in custom colors selected by the client

## NOTE

For doors over **2m** in height, using the **NA33** handle is recommended.



# ROOM DIVIDER SHELVING

## Outstanding Features:

- The **NA200 Decor** shelving system is assembled with screws instead of welds, ensuring a clean and refined appearance.
- The frame is made of premium **Anodized** aluminum with thick profiles, offering exceptional stability and a maximum height of up to 3m.
- Simple **module** design for easy installation, allowing you to express your personal style.
- An ideal solution for dividing living rooms, bedrooms, kitchens, offices, and other spaces.
- Can be combined with other materials such as wood panels and glass to create distinctive accents in any space.





## STORAGE CABINET





## DRESSING TABLE



## WARDROBE

NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# DECORATIVE SHELVING SOLUTIONS






**NA200**

Load-bearing vertical post frame system






**NA201**

18mm wooden shelf support frame system






**NA202**

5mm glass shelf support frame system






**NA203**

Decorative accent column frame system



## Connecting Hardware

| | |
|---|---|
|  |  |
| Bar connector bracket | End cap with adjustable foot |



NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# SAMPLE PRODUCT

## AVAILABLE IN 4 ELEGANT COLORS

- White Pearl
- Matt Black
- Champagne
- Autumn Brown

## APPLICATIONS

**Door System For Decorative Cabinets:**

- Wine cabinets
- Decorative display cabinets
- Wardrobes

NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# FOUR-SIDED GLASS CABINET






## NA301

Front pull-handle profile with glass channe






## NA302

Front center profile






## NA303

Rear center profile






## NA304

25mm horizontal tie bar






## NA305

Rear panel profile with glass channel






## NA306

Bottom/Glass pivot hinge mounting profile






## NA307

Top/Bottom support profile for 25mm wooden shelf






## NA308

5mm glass shelf support profile






## NA309

5mm glass shelf support profile with LED channel

NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# SAMPLE PRODUCT



## AVAILABLE IN 4 ELEGANT COLORS

- White Pearl
- Matt Black
- Champagne
- Autumn Brown

## APPLICATIONS

**Door System For Decorative Cabinets:**

- Wine cabinets
- Decorative display cabinets
- Wardrobes

## Connecting Hardware

| Profile Connector | Steel bottom connecting bracket | Steel connecting bracket | Glass shelf support pin | Top/Bottom Hinges |
|---|---|---|---|---|
|  |  |  |  |  |

NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# FOUR-SIDED GLASS WINE CABINET ACCESSORIES



**NA310**
Wine bottle tray




**NA311**
D12 anodized aluminum round rod



**NA503**
4mm thick stemware holder




**NA308** **NA309**

Wine bottle tray with integrated LED lighting






NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# SAMPLE PRODUCT





NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# FOUR-SIDED GLASS WARDROBE ACCESSORIES

## NA312

Leather-wrapped clothes hanging rod and mounting brackets



### HEAVY-DUTY CLOSET HANGING ROD

**Material:** Aluminum alloy, PU leather



### CLOSET ROD MOUNTING BRACKET

**Material:** Aluminum alloy



### GLASS SHELF 308-309

4500K LED Lighting

NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# SAMPLE PRODUCT



## MULTIFUNCTIONAL ACCESSORY TRAY

**Material:**
- Aluminum alloy
- Eco-leather



## TROUSER RACK

**Material:**
- Aluminum alloy
- Eco-leather



## LEATHER-WRAPPED FOLDED CLOTHES DRAWER

**Material:**
- Aluminum alloy
- Eco-leather



## SHALLOW FLAT DRAWE

**Material:**
- Aluminum alloy
- Eco-leather



# FOUR-SIDED GLASS WARDROBE ACCESSORIES

## Trouser Rack

**Material:**

- **Anodized** aluminum alloy.
- Tempered glass: 5mm thickness.
- Timber specification: 25mm **Melamine**-faced board.
- LED: 4000K/6000K color temperature - 12V voltage.
- Door type: Swing door - Equipped with top and bottom pivot hinges.
- Door leaf height: < 3000mm.



NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# SAMPLE PRODUCT









NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# JEWELRY ISLAND CABINET

## Available in 4 Elegant Colors

White Pearl | Matt Black | Champagne | Autumn Brown




**NA310**
25mm partition profile with glass channel




**NA304**
25mm horizontal tie bar




**NA311**
Kitchen island bottom connecting profile



**NA312**
Kitchen island leg



**NA313**
Profile connecting connector




**NA-032**
5mm glass shelf support profile

NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# JEWELRY ISLAND CABINET

## Available in 4 Elegant Colors

White Pearl | Matt Black | Champagne | Autumn Brown




**NA310**
25mm partition profile with glass channel




**NA304**
25mm horizontal tie bar




**NA311**
Kitchen island bottom connecting profile



**NA312**
Kitchen island leg




**NA-032**
5mm glass shelf support profile







NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# DECORATIVE DISPLAY CABINET




**NA301**

Front pull-handle profile with glass channe




**NA305**

Rear panel profile with glass channel




**NA-032**

5mm glass shelf support profile




**NA307**

Top/Bottom support profile for 25mm wooden shelf




**NA306**

Bottom/Glass pivot hinge mounting profile




**NA311**

Kitchen island bottom connecting profile



**NA312**

Kitchen island leg



**NA313**

Profile connecting connector

NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# SAMPLE PRODUCT

## AVAILABLE IN 4 ELEGANT COLORS

White Pearl | Matt Black | Champagne | Autumn Brown





NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# READING ROOM SOLUTIONS




**NA400**

Main structural column with integrated LED lighting




**NA403**

LED-integrated rear profile with 5mm glass channel




**NA404**

Horizontal column tie profile with 5mm glass channel




**NA405**

LED-integrated front profile with 5mm glass channel



**Glass shelf mounting structure**



**Material**

**Anodized** aluminum

## Connecting Hardware

| | | |
|---|---|---|
|  **NA401** |  **NA402** |  **NA406** |
| Adjustable levelling foot H: 80–90mm | Snap-in shelf support bracket with height adjustment | Steel connecting blade for column |

# WALK-IN CLOSET SOLUTIONS

## NA400 System





NGOC ANH DOOR
CỬA ĐẸP - NHÀ SANG

# BAR COUNTER SOLUTIONS

## Available in 4 Elegant Colors

White Pearl | Matt Black | Champagne | Autumn Brown




**NA500**
Decor shelf side panel

**NA501**
Side panel cover

**NA502**
Illuminated shelf profile

**NA504**
Shelving bottom and top panels

**NA503**
Stemware holder

**NA311**
D12 round hanging rod






SAMPLE PRODUCT

## TECHNICAL SPECIFICATIONS:

- **Maximum length:** 900mm
- **Depth:** 155mm
- **Back panel thickness:** 9mm
- **LED color temperature:** Cool white (6500K), Warm white (4500K)

NGOC ANH DOOR

CỬA ĐẸP - NHÀ SANG

With a dedicated machinery system and a highly experienced engineering team, **Ngoc Anh Door** flexibly meets custom manufacturing requirements for every order—from dimensions, specifications, and designs to strict technical standards. Our production process is strictly controlled to ensure precision, flawless finishing quality, and on-time delivery for every project.

**Ngoc Anh Door** - Quality in Every Product, Professionalism in Every Process!